





1. Smoking status at time of delivery

% of mothers who are smokers at the time of delivery (2018/19)




2. Teenage mothers

% of delivery episodes where the mother is aged under 18 years in 2017/18




3. BME Deliveries

% of deliveries to mothers from Black and Minority Ethnic (BME) groups in 2016/17




4. Low birth weight of term babies

% of all live births at term in 2017 with low birth weight (<2500g)




8. Dtap/ IPV/ Hib coverage (1 year)

% of eligible children who received 3 doses of Dtap/ IPV/ Hib vaccination by their 1st birthday (2018/19)




7. Respiratory tract infection admissions aged 1 year

Rate of emergency admissions in infants per 10,000 population (2016/17)



6. Infant Mortality

Rate of deaths in infants aged under 1 year per 1,000 live births (2015 - 17)




5. Breastfeeding prevalence

% of all infants due a 6-8 week check that are totally or partially breastfed (2018/19)




9. MMR – 1st dose

% of children who received one dose of MMR vaccine on or after their 1st birthday and anytime to their 2nd birthday (2018/19)




10. Respiratory tract infection admissions 2,3 and 4 years

Rate of emergency admissions in infants per 10,000 population (2016/17)



11. MMR – 2nd dose

For and at any time to 5th birthday (2018/19)



The latest available data is shown at a local authority level and compared against the England figure and the comparator group, least deprived decile (IMD 2015) figures:

- Significantly better
- Significantly worse
- Significantly lower
- No significant difference
- Significantly higher
- Not comparable/Value unknown


Where a national target has been set, data has been compared against this target.

Source: [Public Health England Fingertips Profiles](https://publichealthengland.org.uk/fingertips-profiles)




12. School readiness

% of children achieving a good level of development at the end of Year R (2017-18)




13. Free school meals

% of pupils eligible for and claiming free school meals who attend state funded school (2018)




14. Obesity and overweight (Year R)

% of children in Year R who are obese and overweight (2018/19)




15. Pupils with special education needs (SEN)

% of school pupils with special education needs (2018)




19. Sedentary for 7 hours or more per day

% with a mean daily sedentary time in the last week over 7 hours per day (2014-15)




18. Physically Active (At least 1 hour every day in last week)

% physically active for at least one hour per day seven days a week (2014/15)




17. Obesity and overweight (Year 6)

% of children in Year 6 who are obese and overweight (2018/19)




16. First time entrants to Youth Justice System (10-17 year olds)

Rate per 100,000 population (2018)




20. Regular drinker of alcohol (every week)

% of 15 year old who have an alcoholic drink 'at least once a week' Way survey (2014-15)




21. Smoking prevalence (current smokers)

% of smoking prevalence at age 15 Way survey (2014-15)



22. Drug Use (in the last month)

% of 15 years old 'who took drugs in the last month' Way survey (2014-15)




The latest available data is shown at a local authority level. This is compared against the England figure and the comparator group, least deprived decile (IMD 2015):

- Significantly better
- Significantly worse
- No significant difference
- Significantly lower
- Not comparable/Value unknown

Where a national target has been set, data has been compared against this target.

Source:

[Public Health Fingertips Profiles](#)



23. GCSEs achieved (5A*- C including English & Maths)

Educational attainment (5 or more GCSEs): % of all children (2015-16)

Wokingham:	● 70.9%
Comparator:	● 63.5%
England:	● 57.8%

24. Under 18 s conceptions

Rate of conceptions for females aged 15-17 per 1,000 population (2017)

Wokingham:	↓ 6.9
Comparator:	● 10.7
England:	● 17.8

25. Admissions as a result of self-harm (15 to 19 year olds)


Rate of admissions as a result of self-harm per 100,000 population (2017/18)

Wokingham:	↑ 823.9
South East:	● 738.0
England:	● 648.6

26. Chlamydia detection rate per 100,000 population (15 to 24 year olds)

All chlamydia diagnoses at specialist and non-specialist sexual health services (2018)

Wokingham:	● 1267 ↑	Compared to the national target of 2,300
Comparator:	● 1450	
England:	● 1975	



28. Under 18s conceptions leading to abortion

% of conception aged under 18 years that led to an abortion (2017)

Wokingham:	→ 50.0%
Comparator:	● 62.4%
England:	● 52.0%

27. NEET (16 to 17 year olds)

% of 16-17 year olds who are NEET or whose activity is not known (2017)

Wokingham:	● 5.5%
Comparator:	● 5.5%
England:	● 6.0%

The latest available data is shown at a local authority level. This is compared against the England figure and the comparator group, least deprived decile (IMD 2015):

- Significantly better
- Significantly worse
- No significant difference
- Significantly higher than
- Not comparable/Value unknown


Where a national target has been set, data has been compared against this target.

Source:
[Public Health Fingertips Profiles](#)




29. Smoking Prevalence (current smokers)

% of smoking prevalence among persons 18+ years from the APS survey (2018)




30. Adult drinkers of alcohol (18+ years)

% of adults drinking over 14 units of alcohol a week (2011-14)




31. Physically active and inactive (19+)

% of adults who are physically active / inactive by CMO recommendations (2017/18)




32. Obesity and overweight

% of adults (aged 18+) classified as overweight or obese (2017/18)




36. Preventable Mortality (all ages)

Rate of mortality from causes considered preventable per 100,000 population (2016-18)




35. Diabetes

Estimated diagnosis rate for people with diabetes aged 17 and over (2018)




34. Suicide 10 years+

Age-standardised mortality rate from suicide and injury of undetermined intent per 100,000 population (2015/17)




33. Depression or Anxiety 18+ years

% reporting depression or anxiety completing GP Patient Survey (2016/17)




37. Bowel cancer screening (60-74 years)

% of people eligible for bowel screening who were screened (2018)




38. Cervical Screening

% of female, 25-64, attending cervical screening within target period (3.5 or 5.5 year coverage) 2018/19








39. Breast cancer screening (53-70 years)

Proportion of women eligible for screening with a recorded result at least once in the previous 36 months (2018)



The latest available data is shown at a local authority level and compared against the England figure and the comparator group, least deprived decile (IMD 2015) figures

-  Significantly better
-  Significantly worse
-  No significant difference
-  Significantly higher
-  Not comparable/Value unknown

Where a national target has been set, data has been compared against this target.


Sources:

[Public Health England Fingertips Profiles](#)
[Cervical Screening Indicator](#)




40. Health related quality of life

Average health status score for adults age 65 and over (2016/17)





41. Life expectancy at 65

Average number of years a person would expect to live (2015 - 17)




42. Excess winter deaths

Measured as the ratio of extra deaths from all causes that occur in the winter months (Aug 2014 - Jul 2017) (3 years, All Ages)




43. Flu vaccine

% of eligible adults aged 65+ who have received the flu vaccine (2018/19)




47. Preventable sight loss (persons 65+)

Rate of sight loss due to age related macular degeneration (AMD) in people aged 65+ per 100,000 population (2017/18)




46. Dementia: Recorded prevalence

Number of people with dementia recorded as a proportion of people aged 65+ registered at each GP Practice (Dec 2018)



45. Delayed transfer of care

Rate of all delayed transfer of care, per 100,000 population aged 18+ (2018/19)



44. Long term support needs met

Needs of older adults (65+) met by admission to residential and nursing care homes, per 100,000 population (2017/18)




48. Hospital admissions due to fall

Rate of emergency hospital admissions for injuries due to falls in people aged 65+ per 100,000 population (2017/18)



49. Hip fractures (65+)

Rate of emergency admissions for fractured neck of femur per 100,000 population (2017/18)



50. Cardiovascular Disease

Rate of deaths from cardiovascular disease among people aged 65 and over (2016/18)



The latest available data is shown at a local authority level.

This is compared against the England figure and the comparator group, least deprived decile (IMD 2015), or South East region:

- Significantly better
- Significantly worse
- No significant difference
- Not comparable/Value unknown
- Significantly higher than England

Where a national target has been set, data has been compared against this target.

Sources: [Delayed transfers of care](#)
[Public Health England Fingertips Profiles](#)
[NHS Digital: Admission to care homes](#)